




Score


Overall
62
Issues

 **Your website is non-compliant with WCAG regulations**

Total issues: **62**

Criticals: **4**

Alerts: **37**

Manuals: **21**

Description	Code Snippet	Element selector
1. (A) The explicitly-assigned ARIA role "list" is redundant with the implicit role of the element 	<pre><ul style="list-style: none; margin: 0px; padding: 0px; max-height: calc(-100px + 100dvh); overflow-y: auto; outline: none;" tabindex="0" data-cb-notif-list="" role="list"></pre>	<code>/html[1]/body[1]/div[5]/ul[1]</code>
2. (A) The tabbable element's role 'list' is not a widget role	<pre><ul style="list-style: none; margin: 0px; padding: 0px; max-height: calc(-100px + 100dvh); overflow-y: auto; outline: none;" tabindex="0" data-cb-notif-list="" role="list"></pre>	<code>/html[1]/body[1]/div[5]/ul[1]</code>
3. (A) The explicitly-assigned ARIA role "listitem" is redundant with the implicit role of the element 	<pre><li style="display: flex; justify-content: flex-end;" role="listitem"></pre>	<code>/html[1]/body[1]/div[5]/ul[1]/li[1]</code>
4. (AAA) test custom issue	<pre><body</pre>	<code>custom-error-348d1236-02ea-4a97-b653-2ec5679fb1e6</code>
5. (AA) Verify that text sized using viewport units can be resized up to 200%	<pre><link media="all" href="https://pluro.webspark.dev/app/them id="pluro-main-css" rel="stylesheet"></pre>	<code>/html[1]/head[1]/link[13]</code>
6. (AA) Verify that text sized using viewport units can be resized up to 200%	<pre><style id="wp-custom-css"></pre>	<code>/html[1]/head[1]/style[4]</code>
7. (AA) Confirm that when the element receives focus, it is not covered or, if covered by user action, can be uncovered without moving focus	<pre><a data-node-item="299" role="button" aria-expanded="false" aria-haspopup="true" class="nav-link" href="#"></pre>	<code>/html[1]/body[1]/header[1]/div[1]/nav[1]/div</code>

Description	Code Snippet	Element selector
8. (AA) Check the keyboard focus indicator is visible when using CSS declaration for 'border' or 'outline'	<pre><button style="position: fixed; border: 0px; bottom: 1rem; right: 1rem; width: 55px; height: 55px; border-radius: 27.5px; background-color: rgb(255, 255, 255); box-shadow: rgba(0, 0, 0, 0.2) 0px 4px 8px 0px; cursor: pointer; z-index: 2147483645; pointer-events: auto; transition: 0.2s ease-in-out; left: unset;" data-close-aria-label="Close " data-open-aria-label="Open " aria-controls="chatbase-bubble-window" aria-haspopup="dialog" aria-expanded="false" aria-label="Open " id="chatbase-bubble-button" type="button"></pre>	<pre>/html[1]/body[1]/button[1]</pre>
9. (A) The input element does not have an associated visible label	<pre><button style="position: fixed; border: 0px; bottom: 1rem; right: 1rem; width: 55px; height: 55px; border-radius: 27.5px; background-color: rgb(255, 255, 255); box-shadow: rgba(0, 0, 0, 0.2) 0px 4px 8px 0px; cursor: pointer; z-index: 2147483645; pointer-events: auto; transition: 0.2s ease-in-out; left: unset;" data-close-aria-label="Close " data-open-aria-label="Open " aria-controls="chatbase-bubble-window" aria-haspopup="dialog" aria-expanded="false" aria-label="Open " id="chatbase-bubble-button" type="button"></pre>	<pre>/html[1]/body[1]/button[1]</pre>
10. (A) Confirm this text 'One platform for real accessibility work' is used as a heading and if so, modify to use a heading element or role	<pre><p data-node-item="382" role="none" class="subtitle"></pre>	<pre>/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]</pre>
11. (A) Confirm this text 'Fix, Report, and Monitor Live' is used as a heading and if so, modify to use a heading element or role	<pre><p data-node-item="388" role="none" class="marketing-title"></pre>	<pre>/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]</pre>
12. (A) Confirm this text 'Manage Compliance Faster' is used as a heading and if so, modify to use a heading element or role	<pre><p data-node-item="395" role="none" class="marketing-title"></pre>	<pre>/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]</pre>
13. (A) Confirm this text 'Why Teams' is used as a heading and if so, modify to use a heading element or role	<pre><p data-node-item="397" role="none"></pre>	<pre>/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]</pre>
14. (A) Confirm this text 'Deliver Proven Accessibility' is used as a heading and if so, modify to use a heading element or role	<pre><p data-node-item="405" role="none" class="marketing-title"></pre>	<pre>/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]</pre>
15. (A) Confirm this text 'Keep Accessibility Under Control' is used as a heading and if so, modify to use a heading element or role	<pre><p data-node-item="410" role="none" class="marketing-title"></pre>	<pre>/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]</pre>
16. (A) Confirm this text 'Benefits for Teams' is used as a heading and if so, modify to use a heading element or role	<pre><div data-node-item="620" role="none" class="subtitle"></pre>	<pre>/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]</pre>

Description	Code Snippet	Element selector
17. (A) Confirm this text 'Be the team that delivers accessibility beyond basic overlays' is used as a heading and if so, modify to use a heading element or role	<p data-node-item="646" role="none" class="text">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
18. (A) Confirm this text 'A Workflow For Your Clients, And For You' is used as a heading and if so, modify to use a heading element or role	<p data-node-item="657" role="none" class="subtitle">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
19. (A) Confirm this text 'As a partner, you can deliver recurring accessibility services' is used as a heading and if so, modify to use a heading element or role	<p data-node-item="659" role="none" class="title-secondary">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
20. (A) Confirm this text 'Give Clients a Real Workflow' is used as a heading and if so, modify to use a heading element or role	<p data-node-item="947" role="none" class="subtitle">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
21. (A) Confirm this text 'FAQ' is used as a heading and if so, modify to use a heading element or role	<div data-node-item="992" role="none" class="subtitle">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
22. (AA) Check the keyboard focus indicator is visible when using CSS declaration for 'border' or 'outline'	<button data-node-item="377" aria-controls="videoPlayer" aria-label="Play product overview video" id="videoWrapper" class="text-center video-wrapper position-relative" type="button">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
23. (A) Verify that this un-named, ungrouped checkbox input is not related to other checkboxes	<input data-node-item="685" id="planSwitcher" type="checkbox">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
24. (AA) Check the keyboard focus indicator is visible when using CSS declaration for 'border' or 'outline'	<input data-node-item="685" id="planSwitcher" type="checkbox">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
25. (A) Confirm the word(s) 'Right' of the user instruction is used to indicate a logical rather than visual position	<h3 data-node-item="681" class="subtitle">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
26. (A) Confirm this text '+ Behavior Testing & Live Fixes' is used as a heading and if so, modify to use a heading element or role	<br data-node-item="384">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
27. (AA) Confirm that when the element receives focus, it is not covered or, if covered by user action, can be uncovered without moving focus	<a data-node-item="353" class="hero-btn hero-btn-main" href="https://my.pluro.ai/create-an-account/">	/html[1]/body[1]/div[2]/main[1]/div[1]/section
28. (AA) Confirm that when the element receives focus, it is not covered or, if covered by user action, can be uncovered without moving focus	<a data-node-item="358" class="hero-btn hero-btn-simple" href="https://pluro.webspark.dev/sample-report/">	/html[1]/body[1]/div[2]/main[1]/div[1]/section

Description	Code Snippet	Element selector
29. (A) Confirm the word(s) 'right' of the user instruction is used to indicate a logical rather than visual position	<p data-node-item="974" class="text">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
30. (A) Confirm the word(s) 'top' of the user instruction is used to indicate a logical rather than visual position	<p data-node-item="981" class="text">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
31. (A) Confirm this text 'Presentation' is used as a heading and if so, modify to use a heading element or role	<p data-node-item="373" class="subtitle">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
32. (A) Confirm this text 'AI, behavior, fixes and evidence' is used as a heading and if so, modify to use a heading element or role	<p data-node-item="416" role="none" class="pwu-eyebrow">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
33. (A) Confirm this text 'Ready to see Pluro in action?' is used as a heading and if so, modify to use a heading element or role	<p data-node-item="1042" role="none" class="pwu-final-eyebrow">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
34. (A) Confirm this text 'For agencies and consultants' is used as a heading and if so, modify to use a heading element or role	<p data-node-item="1053" role="none" class="pwu-final-eyebrow">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
35. (A) The ‘placeholder’ is the only visible label	<input data-node-item="1046" required="" placeholder="Paste Your URL Here (e.g. https://my-website.com)" data-placeholder="Paste Your URL Here (e.g. https://my-website.com)" aria-label="Paste Your URL Here (e.g. https://my-website.com)" class="input input-highlight" type="url" name="siteUrl">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
36. (A) Verify the <div> element with "tablist" role has keyboard access	<div data-node-item="690" aria-label="Choose a plan type" role="tablist" class="price-tabs">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
37. (A) Component with "tablist" role has more than one tabbable element	<div data-node-item="690" aria-label="Choose a plan type" role="tablist" class="price-tabs">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
38. (A) Verify that this un-named, ungrouped checkbox input is not related to other checkboxes	<input data-node-item="906" disabled="" class="checkbox" type="checkbox">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
39. (A) Verify that this un-named, ungrouped checkbox input is not related to other checkboxes	<input data-node-item="923" disabled="" class="checkbox" type="checkbox">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]

Description	Code Snippet	Element selector
40. (AA) Check the keyboard focus indicator is visible when using CSS declaration for 'border' or 'outline'	<button style="position: absolute; top: -7px; right: -7px; font-weight: bold; display: flex; opacity: 0; justify-content: center; align-items: center; z-index: 2147483643; pointer-events: none; width: 22px; height: 22px; border-radius: 50%; text-align: center; font-size: 12px; cursor: pointer; border-width: medium; border-style: none; border-color: currentcolor; border-image: initial; padding: 0px; line-height: 1; background-color: rgb(51, 51, 51); color: white; box-shadow: rgba(150, 150, 150, 0.15) 0px 6px 24px 0px, rgba(150, 150, 150, 0.15) 0px 0px 0px 1px;" aria-label="Close notifications">	/html[1]/body[1]/div[5]/button[1]
41. (AA) Check the keyboard focus indicator is visible when using CSS declaration for 'border' or 'outline'	<ul style="list-style: none; margin: 0px; padding: 0px; max-height: calc(-100px + 100dvh); overflow-y: auto; outline: none;" tabindex="0" data-cb-notif-list="" role="list">	/html[1]/body[1]/div[5]/ul[1]
42. (A) Verify important background image information has a text alternative in system high contrast mode	<section data-node-item="345" class="hero-section">	/html[1]/body[1]/div[2]/main[1]/div[1]/section
43. (A) Verify important background image information has a text alternative in system high contrast mode	<section data-node-item="480" class="compliance-section">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
44. (A) Verify important background image information has a text alternative in system high contrast mode		/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
45. (A) Verify important background image information has a text alternative in system high contrast mode		/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
46. (A) Verify important background image information has a text alternative in system high contrast mode	<a data-node-item="353" class="hero-btn hero-btn-main" href="https://my.pluro.ai/create-an-account/">	/html[1]/body[1]/div[2]/main[1]/div[1]/section
47. (A) Verify important background image information has a text alternative in system high contrast mode		/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
48. (A) Verify important background image information has a text alternative in system high contrast mode	<div data-node-item="1040" class="pwu-final-cta-card">	/html[1]/body[1]/div[2]/main[1]/div[1]/div[2]
49. (A) Focus escaped the active modal	Solutions	/html[1]/body[1]/header[1]/div[1]/nav[1]/div

Description	Code Snippet	Element selector
50. (A) Focus escaped the active modal	<code>Resources</code>	<code>/html[1]/body[1]/header[1]/div[1]/nav[1]/div</code>
51. (A) Focus escaped the active modal	<code>Website Owners </code>	<code>/html[1]/body[1]/header[1]/div[1]/nav[1]/div</code>
52. (A) Focus escaped the active modal	<code>For Professionals</code>	<code>/html[1]/body[1]/header[1]/div[1]/nav[1]/div</code>
53. (A) Focus escaped the active modal	<code>Document Services </code>	<code>/html[1]/body[1]/header[1]/div[1]/nav[1]/div</code>
54. (A) Focus escaped the active modal	<code>VPAT</code>	<code>/html[1]/body[1]/header[1]/div[1]/nav[1]/div</code>
55. (A) Focus escaped the active modal	<code>BlogLast insights and best practices</code>	<code>/html[1]/body[1]/header[1]/div[1]/nav[1]/div</code>
56. (A) Focus escaped the active modal	<code>DocumentationTechnical guides and API docs</code>	<code>/html[1]/body[1]/header[1]/div[1]/nav[1]/div</code>
57. (A) Focus escaped the active modal	<code>Platform</code>	<code>/html[1]/body[1]/header[1]/div[1]/nav[1]/div</code>
58. (A) Focus escaped the active modal	<code>For Consultants</code>	<code>/html[1]/body[1]/header[1]/div[1]/nav[1]/div</code>
59. (A) Focus escaped the active modal	<code>Pricing</code>	<code>/html[1]/body[1]/header[1]/div[1]/nav[1]/div</code>

Description	Code Snippet	Element selector
60. (A) Focus escaped the active modal	About us	/html[1]/body[1]/header[1]/div[1]/nav[1]/div
61. (A) Focus escaped the active modal	Contact	/html[1]/body[1]/header[1]/div[1]/nav[1]/div
62. (A) Focus escaped the active modal	 Customer Login 	/html[1]/body[1]/header[1]/div[1]/nav[1]/div